

ANNEX 3

REQUEST FOR QUOTATION (RFQ)

RFQ NUMBER: RFQ-NRCS-DM-25-078A - FOR THE SUPPLY OF RESILIENCE ITEMS

ITEMS SPECIFICATION – RESILIENCE ITEMS FOR SELECTED HOUSEHOLDS (BAUCHI & DELTA STATE)

Item	Samples	Quality & safety
Umbrella		UMBRELLA <u>Specifications:</u> – Range: Approx 29 inches – Material: Pongee fabric, plastic handle and steel stretchers – Capacity: Approx 29 inches range, contains 2-4 persons – Weight: 800 grams – Packing: Standard
Bucket with lid		BUCKET WITH LID <u>Specifications:</u> – Heavy-duty plastic bucket, with handle and lid – Manufacturing process: Injection molding. – Material: Virgin food grade HDPE high density polyethylene – Capacity: Minimum 20L – Weight: Approx 1.5 Kgs
Mosquito repellent	 	MOSQUITOES BODY LOTION REPELLANT TUBE <u>Specifications:</u> – Manufacturing process: Compounding – Material: Oil of Lemon Eucalyptus, diethyl phthalate, diethyl carbonate; N, N-Diethyl-3-Methylbenzamide (DEET), metofluthrin – Capacity: 195 ml – Weight: 132g – Packing: Standard – Longrich product

Rain boot		RUBBER, BOOT PAIR <u>Specifications:</u> – Heavy Duty Plastic Rubber, Boot Pair – Material: Vinyl – weight: Light Weight – Sizes: 40 -45 – Color: Black or Yellow – Packing: Standard
Solar lamp		SOLAR LAMP WITH USB CHARGING PORT <u>Specifications:</u> -Solar charging -Rechargeable -It also uses Battery2800 mAh (not included) -Super cool breeze Fan and and bright light -Big size -SKU: GE779LB7IBK4LNAFAMZ -Weight (kg): 0.6
Mosquito net		MOSQUITO NET <u>Specifications:</u> – LLIN (Long Lasting Insecticidal Nets) – Manufactured from 100% high density polyethylene OR polyester. – Treated with 80 mg/m² Deltamethrin. – Manufacturing process: Sewing and stitching from one corner to the other. – Material: Polyester – Shape: Rectangular – Size: 190x180x150 cms (LxWxH) – Color: White

Jerry can with lid		JERRYCAN <u>Specifications:</u> – Rigid, 25L, Food Grade Plastic, Screw Cap 50mm, UV treated – Manufacturing process: Blow moulded – Material: Virgin food grade HDPE high density polyethylene – Capacity: 25 liters – Weight: Approx 1.5kg														
Torch light		Portable Rechargeable LED Search Light <u>Specifications:</u> – Usage time once charged: Approx 8/16 Hours – Battery Capacity: 2800 mAh – Weight: Approx 0.5kg – Packing: Standard														
Blanket		BLANKETS <u>Specifications:</u> <table><tr><td>HSHEBLAN CLT2</td><td>BLANKET, woven, 80% COTTON, 20%POLYESTER, 1.2x1.8m, light</td></tr><tr><td>Samples for testing purpose</td><td>Specification under the normal textile conditioning ISO139, 65% moisture and for 24h. All criteria to be passed on the sample.</td></tr><tr><td>Make</td><td>Woven</td></tr><tr><td>Colours</td><td>Other than plain black or plain white</td></tr><tr><td>Size</td><td>120 x 180cm +3%/- 1%</td></tr><tr><td>Weight</td><td>250g/m2 +/- 3%</td></tr><tr><td>Tensile strength loss ISO13934-1 and ISO 6330</td><td>maximum 5% on warp and weft after 3 machine washings at 30°C</td></tr></table>	HSHEBLAN CLT2	BLANKET, woven, 80% COTTON, 20%POLYESTER, 1.2x1.8m, light	Samples for testing purpose	Specification under the normal textile conditioning ISO139, 65% moisture and for 24h. All criteria to be passed on the sample.	Make	Woven	Colours	Other than plain black or plain white	Size	120 x 180cm +3%/- 1%	Weight	250g/m2 +/- 3%	Tensile strength loss ISO13934-1 and ISO 6330	maximum 5% on warp and weft after 3 machine washings at 30°C
HSHEBLAN CLT2	BLANKET, woven, 80% COTTON, 20%POLYESTER, 1.2x1.8m, light															
Samples for testing purpose	Specification under the normal textile conditioning ISO139, 65% moisture and for 24h. All criteria to be passed on the sample.															
Make	Woven															
Colours	Other than plain black or plain white															
Size	120 x 180cm +3%/- 1%															
Weight	250g/m2 +/- 3%															
Tensile strength loss ISO13934-1 and ISO 6330	maximum 5% on warp and weft after 3 machine washings at 30°C															

		Shrinkage maxi. ISO 6330	5% after 3 machine washing at 30°C	
		Finish	Hemmed on 4 sides unless machine finished when weaving.	
		Fire resistance ISO12952- 1&2	Resistance to cigarette - No ignition	
		Fire resistance ISO12952- 3&4	Resistance to flame - No ignition	
			BLANKET, woven, 80% COTTON, 20%POLYESTER, 1.2x1.8m, light - Qty	
Mat		Sleeping Mats - Material: 100% Polyurethane Foam, Water-Resistant - Size: natural fibres 180 x 80 cm		
Raincoat		WATER PROOFING RAINCOAT <u>Specifications:</u> - Manufacturing process: Automated process - Material: Polyester - Size: Large - Weight: Approx Less 350 grams		